

KREIOS FLX 90W



Product features and benefits

- Bright and efficient LED light source that provides superior light quality with color rendering >92
- Low cost operation: - Saves 80% energy compared to halogen - Eliminates the cost of over 20 lamp replacements over the life of the fixture (L70 = 40,000 hrs)
- Cool and silent operation
- Gel frame accessory adds option for color and diffusion effects
- IP65 rated for outdoor use
- No UV or IR radiation

Areas of application

- Theatre set construction and rehearsals
- Theme parks
- Stages / Studios
- Indoor flood / arena
- Outdoor flood
- Architectural
- Warehouse / security

Product datasheet

Technical data

General product information

Product Number	54758
Product Name	KREIOSFLX90W 2/CS 1/SKU
Ordering Abbreviation	KREIOS FLX 90W
Brand Name	OSRAM
General Description	LED Work Light, Flood Light, Wash Light, IP65, 90 Watts, 3500K, 5000lumens, 92 CRI

Electrical data

Nominal Wattage	9000 W
Nominal Voltage	12000 V
Current (A)	AC A

Light technical data

Luminous Flux	5.000 lm
Average Rated Life	40.000 h

Additional product data

Operating Position	any
Class	1

Packaging Information

Product number	EAN/UPC	Packaging	Quantity	Outside dimensions l x w x h	Gross weight
54758	4052899193154	Folding box (SKU)	1		
54758	4052899193161	Shipping box (Case)	2	25.4 in x 13.4 in x 10.5 in	24.6 lb

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Accessories Optional

Product name	Accessory name	Item number	EAN/UPC
KREIOS FLX 90W	KREIOS FL GEL FRAME	54468	▶ 4052899201361

Product datasheet

Disclaimer

OSRAM does not accept liability for errors, changes and omissions.