

## BABY SHARXS HTI 575W/D5/56 10/CS 1/SKU



### Product features and benefits

- BABY SHARXS lamp family provides consistent lengths and bases for simplified fixture designs
- Robust design with eXtreme Seal (XS) technology, allowing up to 450°C at the pinch seal
- Consistent lumen output over the life of the lamp
- Higher luminous efficacy than conventional HID lamps provides higher fixture efficiency

### Areas of application

- Concert lighting
- Club & Disco
- Stage and theatre
- Studio, TV and film
- Architecture & Architainment

## Technical data

### General product information

Product Number	54359
Product Name	BABY SHARXS HTI 575W/D5/56 10/CS 1/SKU
Family Brand Name	Baby SharXS HTI
Application	Entertainment, Effect and Architectural Lighting
Product Remark	<ul style="list-style-type: none"><li>- Optimized lamp eXtreme Seal (XS) technology to withstand interior base temperatures of up to 450 degrees celsius.</li><li>- Base has notch for pre-alignment.</li><li>- Lamp bases need to be forced cooled.</li><li>- Lamp is part of the Baby SharXS HTI lamp series. All Baby SharXS HTI lamps are identical in terms of their shape, size, and bases.</li></ul>

### Electrical data

Nominal Wattage	575 W
Nominal Voltage	93 V
Current (A)	7.0 A
Type of Current	AC

### Light technical data

Luminous Flux	43000 lm
Light Center Length - LCL (mm)	35 mm
Color Temperature	5600 K
Color Rendering Index	85
Average Rated Life	500 h

### Physical attributes

Base	SFC10-4
Bulb Shape	T8
Maximum Overall Length (mm)	93 mm
Length l (mm)	93 mm
Length l max. (mm)	93 mm
Diameter d (in)	1.024 in
Diameter d (mm)	26.00 mm
Distance a (mm)	35 mm
Electrode Gap - cold (mm)	5 mm
Reflector Coating	26.00

## Product datasheet

### Additional product data

<b>Operating Position</b>	Any
<b>Maximum Base Temperature (°C)</b>	450 C
<b>Cooling</b>	Forced
<b>Hot Restart</b>	Yes
<b>Class</b>	C (gas)

### Packaging Information

<b>Product number</b>	<b>EAN/UPC</b>	<b>Packaging</b>	<b>Quantity</b>	<b>Outside dimensions l x w x h</b>	<b>Gross weight</b>
54359	4008321129345	Sleeve box (Case)	1	6.5 in x 1.9 in x 3.7 in	0.3 lb

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### Disclaimer

OSRAM does not accept liability for errors, changes and omissions.