

8017 15W 6V 100/CS 1/SKU



Product features and benefits

- Dependable quality
- Instant on and nearly constant luminous flux over the life of the lamp
- Dimmable

Areas of application

- Microscopy
- Laboratory & Analysis
- UV Curing
- Fiber Illumination
- Surgical & Dental Overhead
- Club & Disco

Product datasheet

Technical data

General product information

Product Number	76313
Product Name	8017 15W 6V 100/CS 1/SKU
Application	Projector

Electrical data

Nominal Wattage	15 W
Nominal Voltage	6 V
Type of Current	AC

Physical attributes

Base	B15D DOUBLE CONTACT BAYONET
Bulb Shape	T19
Maximum Overall Length (in)	2.106 in
Maximum Overall Length (mm)	54 mm
Length l (in)	2.106 in
Length l (mm)	54 mm
Length l max. (in)	2.106 in
Length l max. (mm)	54 mm
Diameter d (in)	0.748 in
Diameter d (mm)	19.00 mm
Distance a (in)	0.273 in
Distance a (mm)	7 mm
Filament Dimensions Length (in)	0.0470 in
Filament Dimensions Length (mm)	1.2 mm
Filament Dimensions Width (in)	0.09 in
Filament Dimensions Width (mm)	2.3 mm

Additional product data

Operating Position	Any
Class	C (gas)

Packaging Information

Product number	EAN/UPC	Packaging	Quantity	Outside dimensions l x w x h	Gross weight
76313	4050300017327	Folding box (SKU)	1	1 in x 1 in x 2.3 in	0.1 lb
76313	4050300206455	Shipping box (Case)	100	10.6 in x 5.6 in x 6.1 in	3.2 lb

Product datasheet

Product number	EAN/UPC	Packaging	Quantity	Outside dimensions L x w x h	Gross weight
----------------	---------	-----------	----------	------------------------------	--------------

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

OSRAM does not accept liability for errors, changes and omissions.