

## DTA



### Product features and benefits

- Robust construction for reliable, lasting performance
- Consistent color over the life of the lamps
- Instant on and nearly constant luminous flux over the life of the lamp
- Broad product portfolio supporting the stage and studio markets
- Dimmable with traditional amber shift

### Areas of application

- Stage and theatre
- Studio, TV and film
- Professional Photography
- Club & Disco

## Product datasheet

### Technical data

#### General product information

Product Number	54716
Product Name	DTA 120V 6/CS 1/SKU
Ordering Abbreviation	DTA
Brand Name	OSRAM
General Description	1,500 watt, tungsten halogen, medium to high voltage, single-ended
Application	Stage & Studio

#### Electrical data

Nominal Wattage	1500 W
Nominal Voltage	120 V
Type of Current	AC

#### Light technical data

Luminous Flux	39000 lm
Light Center Length - LCL (in)	3.405 in
Light Center Length - LCL (mm)	87.3 mm
Color Temperature	3200 K
Color Rendering Index	100
Average Rated Life	100 h

#### Physical attributes

Base	P40s Mogul Prefocus
Bulb Shape	T8
Maximum Overall Length (in)	6.563 in
Maximum Overall Length (mm)	168.28 mm
Length l (in)	6.563 in
Length l (mm)	168.28 mm
Length l max. (in)	6.563 in
Length l max. (mm)	168.28 mm
Distance a (in)	3.405 in
Distance a (mm)	87.3 mm
Filament	C-13D

#### Additional product data

Operating Position	Any
--------------------	-----

## Product datasheet

<b>Total surface inside 1: appearance (cold)</b>	Clear
<b>Class</b>	C (gas)
<b>Lamp Type</b>	SINGLE END

### Packaging Information

Product number	EAN/UPC	Packaging	Quantity	Outside dimensions l x w x h	Gross weight
54716	4008321483348	Unpacked (SKU)	1		
54716	10046135547161	Shipping box (Case)	6	11.4 in x 10.5 in x 8.4 in	5.9 lb

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### Disclaimer

OSRAM does not accept liability for errors, changes and omissions.