

## DZE/FDS



### Product features and benefits

- Robust construction for reliable, lasting performance
- Consistent color over the life of the lamps
- Instant on and nearly constant luminous flux over the life of the lamp
- Broad product portfolio supporting the stage and studio markets
- Dimmable with traditional amber shift

### Areas of application

- Stage and theatre
- Studio, TV and film
- Professional Photography
- Club & Disco

## Product datasheet

### Technical data

#### General product information

Product Number	54755
Product Name	DZEFDS 24V 24/CS 1/SKU
Ordering Abbreviation	DZE/FDS
Brand Name	OSRAM
General Description	150 watt, tungsten halogen, low voltage without reflector
Application	Projector, Microfilm, Stage & Studio

#### Electrical data

Nominal Wattage	150 W
Nominal Voltage	24 V
Type of Current	AC

#### Light technical data

Luminous Flux	4000 lm
Light Center Length - LCL (in)	1.303 in
Light Center Length - LCL (mm)	33.4 mm
Color Temperature	3300 K
Color Rendering Index	100
Average Rated Life	100 h

#### Physical attributes

Base	GZ9.5 Bipin Prefocus
Bulb Shape	T12
Maximum Overall Length (in)	2.231 in
Maximum Overall Length (mm)	57.2 mm
Length l (in)	2.231 in
Length l (mm)	57.2 mm
Length l max. (in)	2.231 in
Length l max. (mm)	57.2 mm
Diameter d (in)	0.571 in
Diameter d (mm)	14.50 mm
Distance a (in)	1.303 in
Distance a (mm)	33.4 mm
Filament	C Bar 6
Filament Dimensions Length (in)	0.1600 in

## Product datasheet

Filament Dimensions Length (mm)	4.1 mm
Filament Dimensions Width (in)	0.308 in
Filament Dimensions Width (mm)	7.9 mm

### Additional product data

Operating Position	Any
Total surface inside 1: appearance (cold)	Clear
Class	C (gas)
Lamp Type	SINGLE END

### Packaging Information

Product number	EAN/UPC	Packaging	Quantity	Outside dimensions l x w x h	Gross weight
54755	0046135547553	Folding box (SKU)	1		
54755	10046135547550	Shipping box (Case)	24	8.3 in x 5.6 in x 4.5 in	1.8 lb

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### Disclaimer

- OSRAM does not accept liability for errors, changes and omissions.