

## QXL 750/77/X



### Product features and benefits

- Robust construction for reliable, lasting performance
- Consistent color over the life of the lamps
- Instant on and nearly constant luminous flux over the life of the lamp
- Broad product portfolio supporting the stage and studio markets
- Dimmable with traditional amber shift

### Areas of application

- Stage and theatre
- Studio, TV and film
- Professional Photography
- Club & Disco

## Product datasheet

### Technical data

#### General product information

Product Number	54883
Product Name	QXL75077X 77V 12/CS 1/SKU
Ordering Abbreviation	QXL 750/77/X
Brand Name	OSRAM
General Description	750 watt, tungsten halogen, QXL series
Application	Entertainment, Architectural
Product Remark	<ul style="list-style-type: none"><li>- QXL is a trademark of Electronics Theatre Controls Inc., and used under license</li><li>- The QXL 750/77 lamp has been designed and approved by ETC in the Source Four Revolution</li></ul>

#### Electrical data

Nominal Wattage	750 W
Nominal Voltage	77 V
Type of Current	AC

#### Light technical data

Luminous Flux	18000 lm
Light Center Length - LCL (in)	1.496 in
Light Center Length - LCL (mm)	38 mm
Color Temperature	3050 K
Color Rendering Index	100
Average Rated Life	1500 h

#### Physical attributes

Base	QXL
Bulb Shape	T6
Maximum Overall Length (in)	4.094 in
Maximum Overall Length (mm)	104 mm
Length l (in)	4.094 in
Length l (mm)	104 mm
Length l max. (in)	4.094 in
Length l max. (mm)	104 mm
Diameter d (in)	0.724 in
Diameter d (mm)	18.40 mm
Distance a (in)	1.496 in

## Product datasheet

Distance a (mm)	38 mm
Filament	4-C8
Filament Dimensions Length (in)	0.4724 in
Filament Dimensions Length (mm)	12 mm
Filament Dimensions Width (in)	0.2559 in
Filament Dimensions Width (mm)	6.5 mm

### Additional product data

Operating Position	Any
Maximum Base Temperature (°C)	500 C
Total surface inside 1: appearance (cold)	Clear
Class	C (gas)
Lamp Type	SINGLE END

### Packaging Information

Product number	EAN/UPC	Packaging	Quantity	Outside dimensions l x w x h	Gross weight
54883	4008321090218	Folding box (SKU)	1	1.6 in x 1.6 in x 5.1 in	0.1 lb
54883	10046135548830	Shipping box (Case)	12	7 in x 5.4 in x 6 in	1.8 lb
54883	4008321090225	Shipping box (Case)	12	7 in x 5.8 in x 5.5 in	2.5 lb
54883	4052899573284	Shipping box (Case)	12	7 in x 5.4 in x 6 in	1.8 lb

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### Disclaimer

OSRAM does not accept liability for errors, changes and omissions.