

## 85T3/RM



### Product features and benefits

- Robust construction for reliable, lasting performance
- Consistent color over the life of the lamps
- Instant on and nearly constant luminous flux over the life of the lamp
- Broad product portfolio supporting the stage and studio markets
- Dimmable with traditional amber shift

### Areas of application

- Stage and theatre
- Studio, TV and film
- Professional Photography
- Club & Disco

## Product datasheet

### Technical data

#### General product information

Product Number	54400
Product Name	85T3RM 82V 24/CS 1/SKU
Ordering Abbreviation	85T3/RM
Brand Name	OSRAM
General Description	85 watt, tungsten halogen, low to medium voltage with reflector
Application	Projector

#### Electrical data

Nominal Wattage	85 W
Nominal Voltage	82 V
Type of Current	AC

#### Light technical data

Color Rendering Index	100
Average Rated Life	40 h

#### Physical attributes

Base	GX5.3 Bipin
Bulb Shape	MR16
Length l (in)	1.486 in
Diameter d (in)	1.649 in
Diameter d (mm)	41.88 mm

#### Additional product data

Total surface inside 1: appearance (cold)	Clear
Class	C (gas)
Lamp Type	MR13

### Packaging Information

Product number	EAN/UPC	Packaging	Quantity	Outside dimensions l x w x h	Gross weight
54400	0046135544002	Folding box (SKU)	1		
54400	10046135544009	Shipping box (Case)	24	7.8 in x 6 in x 5.5 in	2 lb

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## Product datasheet

---

### Disclaimer

OSRAM does not accept liability for errors, changes and omissions.