

DXW



Product features and benefits

- Robust construction for reliable, lasting performance
- Consistent color over the life of the lamps
- Instant on and nearly constant luminous flux over the life of the lamp
- Broad product portfolio supporting the stage and studio markets
- Dimmable with traditional amber shift

Areas of application

- Stage and theatre
- Studio, TV and film
- Professional Photography
- Club & Disco

Product datasheet

Technical data

General product information

Product Number	53997
Product Name	DXW 120V 12/CS 1/SKU
Ordering Abbreviation	DXW
Brand Name	OSRAM
General Description	1,000 watt, tungsten halogen, medium to high voltage, double-ended
Application	Stage & Studio
Product Remark	- OBS Length l1 = Contact to contact.

Electrical data

Nominal Wattage	1000 W
Nominal Voltage	120 V
Type of Current	AC

Light technical data

Luminous Flux	28000 lm
Color Temperature	3200 K
Color Rendering Index	100
Average Rated Life	150 h

Physical attributes

Base	R7s
Bulb Shape	T5
Maximum Overall Length (in)	3.717 in
Maximum Overall Length (mm)	95.3 mm
Length l (in)	3.717 in
Length l (mm)	95.3 mm
Length l max. (in)	3.717 in
Length l max. (mm)	95.3 mm
Length l1 (in)	3.6 in
Length l1 (mm)	92.3 mm
Diameter d (in)	0.630 in
Diameter d (mm)	16.00 mm
Filament	CC-8

Additional product data

Product datasheet

Operating Position	Any
Total surface inside 1: appearance (cold)	Clear
Class	C (gas)
Lamp Type	DOUBLE END

Packaging Information

Product number	EAN/UPC	Packaging	Quantity	Outside dimensions l x w x h	Gross weight
53997	4052899243200	Folding box (SKU)	1	1.6 in x 1.6 in x 5.1 in	0.2 lb
53997	4052899243217	Shipping box (Case)	12	7 in x 5.4 in x 6 in	1.8 lb

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

OSRAM does not accept liability for errors, changes and omissions.