

## FHM 120V



### Product features and benefits

- Robust construction for reliable, lasting performance
- Consistent color over the life of the lamps
- Instant on and nearly constant luminous flux over the life of the lamp
- Broad product portfolio supporting the stage and studio markets
- Dimmable with traditional amber shift

### Areas of application

- Stage and theatre
- Studio, TV and film
- Professional Photography
- Club & Disco

## Product datasheet

### Technical data

#### General product information

Product Number	54532
Product Name	FHM 120V 12/CS 1/SKU
Ordering Abbreviation	FHM 120V
Brand Name	OSRAM
General Description	1,000 watt, tungsten halogen, medium to high voltage, double-ended
Application	Stage & Studio
LIF Code	P2/29
Product Remark	- p (Operating Position) = Horizontal

#### Electrical data

Nominal Wattage	1000 W
Nominal Voltage	120 V
Type of Current	AC

#### Light technical data

Luminous Flux	27300 lm
Color Temperature	3200 K
Color Rendering Index	100
Average Rated Life	300 h

#### Physical attributes

Base	R7s
Bulb Shape	T3
Maximum Overall Length (in)	4.664 in
Maximum Overall Length (mm)	119.6 mm
Length l (in)	4.664 in
Length l (mm)	119.6 mm
Length l max. (in)	4.664 in
Length l max. (mm)	119.6 mm
Filament	C-6

#### Additional product data

Operating Position	p 4
Total surface inside 1: appearance (cold)	Frosted
Class	C (gas)

## Product datasheet

<b>Lamp Type</b>	DOUBLE END
------------------	------------

### Packaging Information

Product number	EAN/UPC	Packaging	Quantity	Outside dimensions l x w x h	Gross weight
54532	0046135545320	Folding box (SKU)	1	1.3 in x 1.3 in x 5.5 in	0.2 lb
54532	10046135545327	Shipping box (Case)	12	6.3 in x 5.6 in x 4.5 in	1 lb

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### Disclaimer

OSRAM does not accept liability for errors, changes and omissions.