

BCA 118V



Product features and benefits

- Robust construction for reliable, lasting performance
- Consistent color over the life of the lamps
- Instant on and nearly constant luminous flux over the life of the lamp
- Broad product portfolio supporting the stage and studio markets
- Dimmable with traditional amber shift

Areas of application

- Stage and theatre
- Studio, TV and film
- Professional Photography
- Club & Disco

Product datasheet

Technical data

General product information

Product Number	11655
Product Name	BCA 118V 12/CS 6/SKU
Ordering Abbreviation	BCA 118V
Brand Name	OSRAM
General Description	250 watt, nonhalogen, medium voltage
Application	Super flood

Electrical data

Nominal Wattage	250 W
Nominal Voltage	118 V
Type of Current	AC

Light technical data

Luminous Flux	8912 lm
Color Temperature	4800 K
Average Rated Life	12 h

Physical attributes

Base	E26 Medium Screwbase
Bulb Shape	A21
Maximum Overall Length (in)	4.75 in
Maximum Overall Length (mm)	120.65 mm
Filament	CC-6

Additional product data

Total surface inside 1: appearance (cold)	Ceramic Blue
Class	C (gas)
Lamp Type	SINGLE END

Packaging Information

Product number	EAN/UPC	Packaging	Quantity	Outside dimensions l x w x h	Gross weight
11655	0046135116551	Folding box (SKU)	6	5.4 in x 5.6 in x 8 in	0.6 lb
11655	10046135116558	Shipping box (Case)	12	11.5 in x 8.5 in x 6.4 in	1.6 lb

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Product datasheet

Disclaimer

OSRAM does not accept liability for errors, changes and omissions.