

## 111A



### Product features and benefits

- Robust construction for reliable, lasting performance
- Consistent color over the life of the lamps
- Instant on and nearly constant luminous flux over the life of the lamp
- Broad product portfolio supporting the stage and studio markets
- Dimmable with traditional amber shift

### Areas of application

- Stage and theatre
- Studio, TV and film
- Professional Photography
- Club & Disco

## Product datasheet

### Technical data

#### General product information

Product Number	11624
Product Name	111A 24/CS 6/SKU
Ordering Abbreviation	111A
Brand Name	OSRAM
General Description	75 watt, Incandescent lamp
Application	Enlarger, printer

#### Electrical data

Nominal Wattage	75 W
Nominal Voltage	120 V
Type of Current	AC

#### Light technical data

Luminous Flux	1120 lm
Color Temperature	2900 K
Average Rated Life	15 h
Average Life, Vertical	15 h

#### Physical attributes

Base	Single Contact Bayonet
Bulb Shape	S11
Maximum Overall Length (in)	61 in
Maximum Overall Length (mm)	61.0 mm

#### Additional product data

Total surface inside 1: appearance (cold)	Ceramic White
Class	C (gas)
Lamp Type	SINGLE END

### Packaging Information

Product number	EAN/UPC	Packaging	Quantity	Outside dimensions l x w x h	Gross weight
11624	0046135116247	Sleeve (SKU)	6	4.4 in x 2.4 in x 3 in	0.2 lb
11624	10046135116244	Shipping box (Case)	24	10.6 in x 5.1 in x 3.7 in	0.8 lb

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## Product datasheet

---

### Disclaimer

OSRAM does not accept liability for errors, changes and omissions.