

140



Product features and benefits

- Robust construction for reliable, lasting performance
- Consistent color over the life of the lamps
- Instant on and nearly constant luminous flux over the life of the lamp
- Broad product portfolio supporting the stage and studio markets
- Dimmable with traditional amber shift

Areas of application

- Stage and theatre
- Studio, TV and film
- Professional Photography
- Club & Disco

Product datasheet

Technical data

General product information

Product Number	11625
Product Name	140 120V 24/CS 6/SKU
Ordering Abbreviation	140
Brand Name	OSRAM
General Description	75 watt, Incandescent lamp
Application	Enlarger, printer

Electrical data

Nominal Wattage	75 W
Nominal Voltage	120 V
Type of Current	AC

Light technical data

Luminous Flux	1150 lm
Color Temperature	2900 K
Average Rated Life	35 h
Average Life, Vertical	35 h

Physical attributes

Base	E26 Medium Screwbase
Bulb Shape	S14
Maximum Overall Length (in)	3.375 in
Maximum Overall Length (mm)	86 mm

Additional product data

Total surface inside 1: appearance (cold)	Ceramic White
Class	C (gas)
Lamp Type	SINGLE END

Packaging Information

Product number	EAN/UPC	Packaging	Quantity	Outside dimensions l x w x h	Gross weight
11625	0046135116254	Sleeve (SKU)	6	3.7 in x 3.7 in x 5.6 in	0.4 lb
11625	10046135116251	Shipping box (Case)	24	15.7 in x 6.3 in x 4.5 in	2 lb

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Product datasheet

Disclaimer

OSRAM does not accept liability for errors, changes and omissions.