

6.6A/105MR16/64339AC



Product features and benefits

- Low maintenance costs due to long lamp life
- Reliable and consistent light output enhances visibility over the life of the lamp
- FAA approved in conjunction with many OEM fixtures
- Durable construction provides resistance to the effects of vibration
- Broad product portfolio for runway, taxiway, and approach lighting
- IR radiation provides guidance in low visibility conditions
- Flicker-free operation
- Ability to reduce light output when needed
- Mercury-free

Areas of application

- Airfield Lighting

Product datasheet

Technical data

General product information

Product Number	58960
Product Name	66A105MR1664339AC 20/CS 1/SKU
Ordering Abbreviation	6.6A/105MR16/64339AC
Brand Name	OSRAM
General Description	105 Watt, tungsten halogen, current controlled, rim mount, airfield
Application	Airfield/Airport
Product Remark	- Snap-on connector, female / male contact.

Electrical data

Nominal Wattage	112.5 W
Current (A)	6.6 A
Type of Current	AC

Light technical data

Luminous Intensity (cd)	32000 cd
-------------------------	----------

Physical attributes

Base	Leads w/male and female flat c
Bulb Shape	REFLECTOR
Maximum Overall Length (in)	1.890 in
Maximum Overall Length (mm)	48 mm
Diameter d (in)	1.984 in
Diameter d (mm)	50.40 mm

Additional product data

Operating Position	Any
Class	C (gas)
Lamp Type	SINGLE ENDED

Packaging Information

Product number	EAN/UPC	Packaging	Quantity	Outside dimensions l x w x h	Gross weight
58960	4008321105424	Folding box (SKU)	1	1.9 in x 1.9 in x 2.4 in	0.1 lb
58960	4008321105431	Shipping box (Case)	20	10.1 in x 5.2 in x 4.3 in	1.2 lb

Product datasheet

Product number	EAN/UPC	Packaging	Quantity	Outside dimensions L x w x h	Gross weight
----------------	---------	-----------	----------	------------------------------	--------------

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

OSRAM does not accept liability for errors, changes and omissions.