

S4NOLEADS 240/CS 24/SKU



Product features and benefits

- Ceramic housings designed specifically for high temperature halogen and metal halide applications
- High quality contact materials for optimal mechanical and electrical properties
- UL recognized and CE certified

Areas of application

- Halogen Fixtures
- Metal Halide Fixtures
- Halogen Instrumentation
- Halogen Equipment

Product datasheet

Technical data

General product information

Product Number	69785
Product Name	S4NOLEADS 240/CS 24/SKU
Ordering Abbreviation	S4NOLEADS 240/CS 24/SKU
Brand Name	OSRAM
CSA File No.	LR20904

Electrical data

Maximum Wattage (W)	1000 W
Maximum Voltage (V)	250 V

Physical attributes

Length (in)	1.74 in
Length (mm)	44.3 mm
Width (in)	1.53 in
Width (mm)	38.9 mm
Body Material	Ceramic Steatite
Contact Material	Nickel Plated Brass
Wire Type	N/A
Wire Gauge (AWG)	N/A

Additional product data

Lamp Base Reference	E11
Maximum Operating Temperature (°C)	300 C
Rohs Compliant	Yes
Underwriters Laboratories File No.	E31557

Packaging Information

Product number	EAN/UPC	Packaging	Quantity	Outside dimensions L x w x h	Gross weight
69785	0046135697852	Shipping box (Case)	24	10.1 in x 7.4 in x 1.1 in	1.7 lb

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Product datasheet

Disclaimer

OSRAM does not accept liability for errors, changes and omissions.