

SIRIUS HRI 440W 2/CS 1/SKU



Product features and benefits

- Lightweight and compact reflector lamps with ECG
- High luminance through very short arc and high pressure
- Produces brilliant light effects
- Stable light output over the entire lifetime
- Long lifetime
- Easy lamp replacement
- Approved by leading moving lighting fixture companies

Areas of application

- Concert lighting
- Club & Disco

Product datasheet

Technical data

General product information

| | |
|-------------------|----------------------------|
| Product Number | 54626 |
| Product Name | SIRIUS HRI 440W 2/CS 1/SKU |
| Family Brand Name | SIRIUS HRI |
| Application | Moving head fixtures |

Electrical data

| | |
|-----------------|-------|
| Nominal Wattage | 440 W |
| Nominal Voltage | 83 V |
| Current (A) | 5.3 A |

Light technical data

| | |
|-------------------------|----------|
| Luminous Flux | 22000 lm |
| Working Distance a (mm) | 41 mm |
| Color Temperature | 7000 K |
| Color Rendering Index | 80 |
| Average Rated Life | 1500 h |

Physical attributes

| | |
|-----------------|-----------|
| Bulb Shape | REFLECTOR |
| Diameter d (mm) | 58 mm |

Additional product data

| | |
|--------------------|----------|
| Operating Position | Any |
| Forced Cooling | Required |

Packaging Information

| Product number | EAN/UPC | Packaging | Quantity | Outside dimensions l x w x h | Gross weight |
|----------------|---------------|---------------------|----------|------------------------------|--------------|
| 54626 | 4052899259096 | Folding box (SKU) | 1 | 3.4 in x 3.4 in x 4.1 in | 0.3 lb |
| 54626 | 4052899259102 | Shipping box (Case) | 2 | 7.3 in x 3.8 in x 4.5 in | 0.8 lb |
| 54626 | 4052899587892 | Folding box (SKU) | 1 | 3.4 in x 3.4 in x 4.1 in | 0.3 lb |
| 54626 | 4052899587908 | Shipping box (Case) | 2 | 7.3 in x 3.8 in x 4.5 in | 0.7 lb |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Product datasheet

Disclaimer

OSRAM does not accept liability for errors, changes and omissions.