

## HXPR200W85V45M2X1EN 2/CS 1/SKU



### Product features and benefits

- High luminance / radiance with intense point source
- Broad spectral distribution in the visible and ultraviolet range
- Enhanced UV characteristics available on some types
- High arc stability

### Areas of application

- Microscopy
- Laboratory & Analysis
- UV Curing
- Fiber Illumination
- Microscopy
- Solar Simulation

# Product datasheet

## Technical data

### General product information

Product Number	69820
Product Name	HXPR200W85V45M2X1EN 2/CS 1/SKU
Ordering Abbreviation	HXPR200W85V45M2X1EN 2/CS 1/SKU

### Electrical data


Nominal Wattage	200 W
Nominal Voltage	85 V

### Light technical data

Average Rated Life	2000 h
--------------------	--------

## Safety advice

Due to their high luminance, UV radiation, and high internal pressure in the hot state, HBO and HXP lamps may only be operated in enclosed lamp casings designed for their operation. Since mercury is released if the lamp breaks, special safety precautions must be taken. More information is available upon request, or can be found in the leaflet or operating instructions included with the lamp. You can also review our Product Safety Guide.



## Packaging Information

Product number	EAN/UPC	Packaging	Quantity	Outside dimensions l x w x h	Gross weight
69820	4008321180070	Folding box (SKU)	1	3.4 in x 3.4 in x 4.1 in	0.4 lb
69820	4008321180087	Shipping box (Case)	2	7.3 in x 4.6 in x 3.8 in	0.8 lb

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## Product datasheet

---

### Disclaimer

OSRAM does not accept liability for errors, changes and omissions.