OSRAM

LEDinspect TELESCOPIC 270

Inspection lights



270 Lumen

Delivers up to 270 lumens of bright light for clear visibility in dark spaces



Magnet base & rotatable hook

Versatile mounting options



2 in 1 Torch function

Inspection light and Torchlight function



2 Year OSRAM Guarantee*

Systematic quality assurance measures underpin the premium workmanship and functionality of our products. Innovative technology and excellent quality really pay dividends for our customers



Light is versatile

Stay prepared wherever you go with the OSRAM LEDinspect TELESCOPIC 270 Rechargeable Inspection Lamp & Torch, a compact yet powerful lighting tool designed for both professional and everyday use. Delivering up to 270 lumens of bright white light, it combines flexibility, portability, and hands-free operation for maximum convenience.

Whether you're working under the bonnet, camping outdoors, or tackling a DIY task, the OSRAM LEDIL419 is built to perform. The telescopic body allows you to quickly adjust the length and focus light exactly where it's needed, while the strong magnetic base keeps both hands free for the job at hand.

Product family datasheet

Technical data

| | Product inform | Product information | | General Product Information | | Electrical Data | | |
|---------------------|----------------|---|-----------------|--|-----------------------|------------------------------|---------------------------------|--|
| Product description | | Application (Category and Product specific) | | Global order reference | | age | Nominal voltage | |
| INSPECTION LAMP | LED inspection | LED inspection lights | | LEDIL419 | | | 3.7 V | |
| | Photometric Da | ata | | | | Physica Dimens | al Attributes & iions | |
| Product description | Color temperat | Color temperature | | Nominal luminous flux | | Product | t weight | |
| INSPECTION LAMP | 6500 K | 6500 K | | 270 lm White | | 202.00 g | | |
| | | | | | | | LED module information | |
| Product description | Length | | Width | | Height | | Number of LEDs per module | |
| INSPECTION LAMP | 33.0 mm | | 43.0 mm | | 193.0 mm | | 2 | |
| | Colors & mater | Colors & materials | | Additional product data | | | | |
| Product description | Base color | Base color | | Type of Battery | | Number of included batteries | | |
| INSPECTION LAMP | Black / Orange | Black / Orange | | Rechargeable | | 1 | | |
| | Capabilities | Logisti | cal data | Regular Informa Informa accordi EU Reg | ation | | | |
| Product description | Technology | Watt he | our per battery | Declara SCIP da | tion no. in tabase | | | |
| INSPECTION LAMP | LED | 6.66 | | In work | | | | |

Product family datasheet

Download Data

File



User instruction

Operating instructions LEDIL419 LEDinspect TELESCOPIC 270



User instruction

GPRS_Safety symbols instructions

Legal advice

Application advice:

For more detailed application information and graphics please see product datasheet and the user instruction.* for precise conditions please refer to: www.osram.com/am-guarantee

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.