Product family datasheet

LEDriving SL R10W

Ideal replacement for any vehicle



Suitable for various vehicle interior and exterior applications Available in Cool White



OSRAM

Reliable OSRAM quality stands for less lamp replacements 4-year guarantee (refer to www.osram.com/am-guarantee for precise conditions)



Suitable LED replacement for R10W

LEDriving SL R10W replacement lamps offer a modern and intense light with a color temperature up to 6,000 Kelvin. These replacement lamps are suitable for all conventional R10W lamp bases. In comparison to standard lamps, these LED retrofit lamps use up to 80% less energy. OSRAM offers a 4 year guarantee for these LEDriving SL lamps. These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

Product family datasheet

Technical data

Product information				General Product Information		Electrical Data			
Product description	description Application (Category and Product specific)		Product type (off- road vs. on-road)	Global order reference		Power input	Nominal	nal voltage	
LEDriving SL \triangleq R10W	Mainly used for signal/ indicator applications		Off-road ≜ 5008DWP 1 R10W			1.24 W	1.24 W 12 V		
					Photometri	c Data	Physical A Dimensior	attributes &	
Product description	Nominal wattage		Power input toleranc e	Test voltage	Nominal luminous flux		Lamp base		
LEDriving SL \doteq R10W	1 W		±20 %	13.5 V	125 lm		BA15s		
							Lifetime D	Data	
Product description	Length		Diameter		Diameter		Lifespan B3	Lifespan Tc	
LEDriving SL \doteq R10W	37.5 mm		19.0 mm		19.0 mm		1500 hr	4000 hr	
	Capabilities	1			nformation of EU Regulatio	on (EC) 190	7/2006		
Product description	Technology	Primar identifi	y article er		idate list ance 1	CAS No 1	o. of substan	ce	
LEDriving SL \triangleq R10W	LED ¹⁾	406217	72222846 72222822 72401296	Lead		7439-9	92-1		

Product description	Safe use instruction	Declaration no. in SCIP database
LEDriving SL \doteq R10W	The identification of	acfdb47e-fe18-4536-
	the Candidate List	a610-cbb4826f1ca3
	substance is	785bd7fd-0d7a-
	sufficient to allow	4942-b9cd-
	safe use of the	6c9b06b40981
	article.	ae611627-677a-
		439a-bb49-
		72f598538ea1

 $^{1)}$ Light-emitting diode lamp

Product family datasheet

Download Data

	File
	User instruction GPRS_Safety symbols instructions
Z	Brochures LEDriving Retrofits - Exchange overview (EN)

Safety advice

Canbus compatible

Legal advice

These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.