Product family datasheet

# LEDriving SL FREE P21W

**CANbus free**
Prevents error messages in board computers

**Replaces conventional P21W lamps**
Easy upgrade to LED technology with Plug & Play solutions

**4-year OSRAM guarantee**
For precise conditions please refer to osram.com/am-guarantee




## LED auxiliary lamps with an integrated CANbus function[1] and cooling system

The OSRAM LEDriving SL FREE auxiliary replacement lamps offer a modern and brilliant LED light. These LED signal lamps replace conventional lamps as easy Plug & Play solution for various vehicle applications. In comparison to standard halogen auxiliary lamps, OSRAM LEDriving SL FREE retrofit lamps are smaller in dimension and have a quicker light up; meaning faster signals provide more time to react for both you and the drivers behind you. On top of that, the light bulbs come with a 4-year OSRAM guarantee[2]. These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information. 1) On almost all car models2) For precise conditions please refer to osram.com/am-guarantee.


© 2026, OSRAM GmbH. All rights reserved.

# Product family datasheet

## Technical data

| | Electrical Data | | | | Photometric Data | Physical Attributes & Dimensions |
|---|---|---|---|---|---|---|
| **Product description** | **Power input** | **Nominal voltage** | **Nominal wattage** | **Test voltage** | **Luminous flux tolerance** | **Diameter** |
| LEDriving SL FREE ≙ P21W | 9 W | 12 V | 9 W | 13.5 V | ±15 % | 20.8 mm |

| | Lifetime Data | Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh) | |
|---|---|---|---|
| **Product description** | **Lifespan Tc** | **Primary article identifier** | **Declaration no. in SCIP database** |
| LEDriving SL FREE ≙ P21W | > 3000 hr | 4062172431132 | In work |


© 2026, OSRAM GmbH. All rights reserved.

**Application advice**
For more detailed application information and graphics please see product datasheet.

**Disclaimer**
Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.


© 2026, OSRAM GmbH. All rights reserved.